



# Technical Informations



Certificato Sistema di Gestione Qualità n° 50 100 2898

Reg. n° 8231-E ISO 14001

## Schedo Line

Code	<b>S10L-0000000001</b>
Name	Knocked down cabinet
Dimensions (WxDxH )	1000x450x880 mm
Inside Dimensions (WxDxH )	994x380x780 mm
N° places	1
N° places for column	1
Material	DC01/FeP01 UNI EN 10130
Weight (Kg)	40
Volume (m3)	0,2



### General informations

Base and corpus	Steel base, h. 80 mm. Corpus made by panels thickness 8/10 fixed by screws, bottom,top, back ,sides on rack thickness 40 mm.with rounded edges.
door	Hinged doors, with inside hinges with rotation point 135 °, reinforces with anticut bend on 3 orders .
Lock	
Closing	Cylinder lock with double expansion with 2 keys 2 way lever
Inside	N °1 adjustable shelf on rack, with galvanized supports.
Colour drawing	
Colour door	Painting with epoxy powder color RAL 7035.
Colour corpus	Painting with epoxy powder color RAL 7035.
Law	In specification D.Lgs.81/2008, EN UNI ISO 9001, EN UNI ISO 14001, UNI tests on product and finishing.

### Possibilities

Base	-
Door	-
Lock	-
Closing	-
Inside	-

Colour door



Colour corpus





## Technical Informations



Certificato Sistema di  
Gestione Qualità  
n° 50 100 2898



Reg. n° 8331-E  
ISO 14001

Code **S10L-0000000001**

### Accessories.

melamine Top L.1000 mm  
adjustable shelf on rack, with galvanized supports.

### Spare parts

Cylinder lock with double expansion with 2 keys  
Right or left hinged door H. mm. 780

### Certifications

UNI 8596:2005 Stability  
UNI 8597:2005 Structure resistance  
UNI 8603:2005 Shelves supports resistance  
UNI 9081:2005 Resistance of the doors to vertical cargo  
UNI 8606:2005 Cargo total maximum  
UNI 8600:2005 Bending with concentrated cargo  
UNI 8601:1984 Bending of shelves  
UNI 9115/87 Erosion Taber  
UNI 9428/89 Resistance to scratches  
UNI 9429/89 Resistance to sudden changes in temperature  
UNI 9300/88 e FA 276/89 Tendency to get dirty  
UNI 9427/89 Resistance to light  
UNI 9149/89 Mirror-like reflection  
UNI EN ISO 9227/2006 Resistance to corrosion  
UNI 8901/86 Resistance to slamming  
UNI EN ISO 1520/95 Resistance trials  
UNI 10782/1999 Hardness test- Pencil method  
UNI EN ISO 2409/2007 Grid test

**These data are exclusive property of San Polo Lamiere S.p.A. Div. Armet**

Reproduction is forbidden within the law (art.171 Law 22/04/1941 ,n.633).

The fraudulent use, without proper written authorization, even partial and by whatever means, will be protected according to law.

The foregoing text contains information reserved to the intended recipient.

The content of this e-mail is confidential and its confidentiality is legally protected by DL196/03