



# Technical Informations



Certificato Sistema di  
Gestione Qualità  
n° 50 100 2898



Reg. n° 6231-E  
ISO 14001

## Plus Line

Code	<b>TE060C_TE069C_TE080C_TE090C_TE102C-000000001</b>
Name	sloping roof for locker
Dimensions (WxDxH )	602/692/802/909/1002/1022x500x200 mm 600/690/800/907/1000/1020x500x200 mm
N° places	2_3
Material	DC01/FeP01 UNI EN 10130
Weight (Kg)	14
Volume (m3)	0,1



## General informations

Corpus	Realized in steel thickness 6/10 c with sides and edges anticut bended on 3 orders. Fixation with double adhesive.
Color	Painting with epoxy powder color RAL 7035.
Law	In specification D.Lgs.81/2008, EN UNI ISO 9001, EN UNI ISO 14001,

## Configuration

color										
	RAL-7035 light grey	RAL-1015 light ivory	RAL-1003 signal yellow	RAL-2004 pure orange	RAL-3001 signal red	RAL-5015 sky blue	RAL-5021 water blue	RAL-5012 light blue	RAL-3003 ruby red	RAL-6016 Yellow- green

## Accessories

screws

Spare parts

-

## Certifications

- UNI 9115/87 Erosion Taber
- UNI 9428/89 Resistance to scratches
- UNI 9429/89 Resistance to sudden changes in temperature
- UNI 9300/88 e FA 276/89 Tendency to get dirty
- UNI 9427/89 Resistance to light
- UNI 9149/89 Mirror-like reflection
- UNI EN ISO 9227/2006 Resistance to corrosion
- UNI 8901/86 Resistance to slamming
- UNI EN ISO 1520/95 Resistance trials
- UNI 10782/1999 Hardness test- Pencil method
- UNI EN ISO 2409/2007 Grid test

**These data are exclusive property of San Polo Lamiere S.p.A. Div. Armet**

Reproduction is forbidden within the law (art.171 Law 22/04/1941 ,n.633).

The fraudulent use, without proper written authorization, even partial and by whatever means, will be protected according to law.

The foregoing text contains information reserved to the intended recipient.

The content of this e-mail is confidential and its confidentiality is legally protected by DL196/03